




GLASS PATIO ROOF
**TERRAZZA
PURE**



Glass roof



Closed
Roof construction



Max. dimensions



On the house wall/
supporting wall connection frame

Awnings Patio roofs Glasoasen®

GLASS PATIO ROOF

TERRAZZA PURE

Terrazza Pure combines a clear, cubic shape with a generous glass surface to create a patio roof which brings plenty of natural light to the patio whilst providing reliable protection. The clear design blends harmoniously with different architecture and supports an open appearance.

The supporting aluminium structure is designed for durability. All profiles are only powder-coated after cutting – for uniform, corrosion-resistant and easy-care surfaces with a permanent consistent degree of colour and gloss. More than 200 frame colours are available for this. The roof covering made of high-quality laminated safety glass combines transparency with durability. Supplementary elements can be integrated precisely and retrofitted if required – right up to the closed Glasoase®. This way, the Terrazza Pure remains flexibly plannable and adapts to changing requirements.

Modular system –
very easy to retrofit
as a weinor Glasoase®




Highlights / Equipment



Timeless aesthetic design for modern, straight-lined architecture



Optionally coloured or warm white light accents for atmospheric moments



Five decorative panels for a design which matches your taste precisely

Additional quality accessories



Tempura Quadra heating system for pleasant warmth and more time outdoors




Accent light for targeted light accents on your patio



Outdoor curtains for a homely atmosphere and privacy protection – especially behind glass

Flexible shading from weinor for pleasant light, more peace and quiet, privacy and a balanced climate



Undermounted or roof-mounted awning: Sottezza Pure and Originale or WGM TOP
Vertical sun protection: VertiTEx II

Terrazza Pure – technical details

Technology

| | |
|--|--|
| Max. roof width | 7 m (1-part) / 14 m (coupled) all widths possible, depending on the number of posts |
| Min. – max. roof depth | 1.45 m – 4.0 m |
| Max. span | Up to 6 m with 2 posts (depend- ing on roof depth and snow load) |
| Glass gradient (up to 2.59 m roof depth) | 3.2° |
| Glass gradient (up to 4.0 m roof depth) | 2.1° |
| Gutter drainage | Concealed |
| Snow load (roof) | 750 N/m ² (corresponding to 930 N/m ² ground snow load) |
| Optional snow loads (roof) | Up to 5,500 N/m ² |

Depending on the design, differing distances between centre lines and the resultant additional roof panels can occur. Further individual shapes and maximum dimensions possible upon request.

A wide range of frame colours for your patio roof as well as matching awning fabrics for integrated sun protection – perfectly matched to your architecture and style.

More information can be found under: weinor.com/architecture-mood

Individual control packages

The fitting solution for all operation requests: A wide range of options for controlling weinor patio roofs, integrated lighting and supplementary awnings exist – via cable, remote control or smart home, via hand transmitter, smartphone or automatic weather control.

More information under: weinor.com/control

More information under: weinor.com/terrazzapure

Outstanding with:



Installation and model versions



Downpipe ducts



Side wall profile



Coupled roofs

Rain drainage

The integrated water drainage system drains rainwater in a controlled manner through the height-adjustable post – maintenance-friendly and concealed in the construction.




Post corner water outlet

Statics and stability

Glass patio roofs from weinor are calculated statically and suitable for different snow load zones in Germany and Austria. Depending on the model, loads from 75 to 550 kg/m² are possible with weinor.



Installation examples



Post attachment on concrete floor slabs or foundations

Foundation



Supporting wall connection frame, load distribution in case of non-load-bearing house wall